



UFO SERIES PROJECTOR
LED FLOOR LAMP



UFO SERIES PROJECTOR
LED FLOOR LAMP



IP20 | CE | CB | | |

Body: aluminium
Housing: steel
Base: steel
Optic: Prismatic PMMA Diffuser

White
 Black

ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	LOR (%)	UGR	On/Off	DRIVER 1-10V	DALI	Triac
UFOF380-W/B	28	85	3000	2900	72%	<19	✓	✓	✓	✓
			4000	2950						

CCT Switch: 3000K 4000K



UFO SERIES PROJECTOR
LED FLOOR LAMP



UFO SERIES PROJECTOR
LED FLOOR LAMP



IP20 | CE | CB | | |

Body: aluminium
Housing: steel
Base: steel
Optic: Prismatic PMMA Diffuser

White Black

ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	LOR (%)	UGR	On/Off	DRIVER 1-10V	DALI	Triac
UFOF600-W/B	38.5	90	3000	4541	72%	<19	✓	✓	✓	✓
			4000	4911						

CCT Switch: 3000K 4000K



**UFO SERIES PROJECTOR
LED ADJUSTABLE LAMP**



**UFO SERIES PROJECTOR
LED ADJUSTABLE PENDANT LAMP**




IP20 | CE | CB | | |

Gearbox: steel
Body: steel
Housing: steel
Optic: Prismatic PMMA Diffuser



ORDERING CODE	Power (W)	CCT (K)	Hot Lumen (Lm)	LOR (%)	Size (MM)	DRIVER			
						On/Off	1-10V	DALI	Triac
UFOS380	28	3000	2900	70%	∅380	✓	✓	✓	✓
		4000	2950						
UFOS600	38	3000	4541	70%	∅600	✓	✓	✓	✓
		4000	4911						





UFO SERIES PROJECTOR
LED PENDANT LAMP





UFO SERIES PROJECTOR
LED PENDANT LAMP




UFO SERIES PROJECTOR
LED PENDANT LAMP



IP20 | CE | CB | | |

Ceiling canopy: steel
Body: steel
Housing: steel
Optic: Prismatic PMMA Diffuser

White
 Black



ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	LOR (%)	UGR	On/Off	DRIVER 1-10V	DALI	Triac
UFOP380-W/B	28	85	3000	2900	72%	<19	✓	✓	✓	✓
			4000	2950						

CCT Switch: 3000K 4000K



UFO SERIES PROJECTOR
LED PENDANT LAMP




UFO SERIES PROJECTOR
LED PENDANT LAMP



IP20 | CE | CB | | |

Ceiling canopy: steel
Body: steel
Housing: steel
Optic: Prismatic PMMA Diffuser

White
 Black



ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	LOR (%)	UGR	On/Off	DRIVER 1-10V	DALI	Triac
UFOP600-W/B	38	90	3000	4541	72%	<19	✓	✓	✓	✓
			4000	4911						

CCT Switch: 3000K 4000K

