




SQUARE WALL WASHER SERIES WALL WASHER PROJECTOR
LED DOWNLIGHT

WALL WASHER SQUARE Series



Product features


New SQUARE WALL WASHER create beautiful light distribution spreads light evenly over large wall surfaces, both horizontally and vertically. thanks for numbers LED/COB light source that make it passable for most application of use in commercial and architectural.

Range of Application

Commercial
Residential
Architectural
Hospitals
Industrial
Museum / Art gallery




SQUARE WALL WASHER SERIES WALL WASHER PROJECTOR
LED DOWNLIGHT



Wallwashing

Vertical illuminance for brightening and dividing the space.



Wall washers

Asymmetrical light distribution for highly uniform wallwashing.

LED

Wattage:6-37.8W
Lumen:583-4968lm
Light distribution:
Narrow
Medium
Flood



Suitable for indoor use

IP20

Protection level is IP20



High efficiency Reflector




Comply with CE certification



The electrical grade is class2



CRI > 80 (standard)
CRI > 90 (optional)



Exploded view

1 The main light frame

2 LED optical module

3 PMMA

4 Reflector




Reliable ceiling mounting system



Mounting spring system and integrated clip on the fixture enables secure, one-touch installation, eliminating the need of tighten screws. Best of all the process requires no additional parts, So you don't need to worry about losing anchors or clips.

High efficiency dissipation heat sink





WALL WASHER SQUARE housing body construction serves as a cooling system designed to dissipate heat faster from the LED, also providing maximum air flow from the entire operation caused by rising hot air. When the operation temperature has been minimized the LED are guaranteed for it's maximum life time and performance.

Interchangeable Socket System (ISS)



Simple solderless interchangeable socket system (ISS) that make it possible for quick and easy maintenance of LED/COB modules. The ISS system is compatible with most popular brands COB such like, Philips , Osram , Tridonic , Citizen & CREE. ISS has an special locking that made it possible to add other accessories or secondary optics. Best of all installation are simple and extremely friendly to apply.

High reflector



SW wall washer downlights with frosted surface finishing gives you maximum visual comfort. The special elliptical lens and reflector give maximum wall coverage and uniformity. Thanks to snap and lock easy to install structure made fast and simple to install.



SQUARE WALL WASHER SERIES SMALL WALL WASHER PROJECTOR LED DOWNLIGHT

150




IP20 | CE | CB | | |


Trim: Die-cast aluminium
Body: Die-cast aluminium
Housing: Die-cast aluminium
Optic: High efficiency Reflector
Weight: 0.70kg
CTN: 24PCS

White Black Silver

Note: min 80mm(ceiling clearance)




ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	LOR (%)	UGR	On/Off	DRIVER 1-10V	DALI	Triac
SWL1500-W/B/S-830			3000	1117						
SWL1500-W/B/S-840	32	90	4000	1317	41%	<19	✓	✓	✓	✓
SWL1500-W/B/S-850			5000	1343						



PHILIPS SLM C 830 1203 L09 G1

3000K



SQUARE WALL WASHER SERIES MEDIUM WALL WASHER PROJECTOR LED DOWNLIGHT

180




IP20 | CE | CB | | |


Trim: Die-cast aluminium
Body: Die-cast aluminium
Housing: Die-cast aluminium
Optic: High efficiency Reflector
Weight: 0.99kg
CTN: 20PCS

White Black Silver

Note: min 80mm(ceiling clearance)



ORDERING CODE	Power (W)	Beam Angle (°)	CCT (K)	Hot Lumen (Lm)	LOR (%)	UGR	On/Off	DRIVER 1-10V	DALI	Triac
SWL1800-W/B/S-830			3000	1967						
SWL1800-W/B/S-840	41	92	4000	2252	47%	<19	✓	✓	✓	✓
SWL1800-W/B/S-850			5000	2166						



PHILIPS SLM C 830 1208 L14 G1

3000K

